

CUSTOMER NO.
34456**CLAIM AMENDMENTS**

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Original) A self-contained substance application system, comprising:
 - a support member at least partially defining a first cavity and a second cavity;
 - a first substance located in the first cavity;
 - a second substance located in the second cavity;
 - a first burstable membrane enclosing the first cavity;
 - a second burstable membrane enclosing the second cavity;
 - an applicator attached to the support member; and
 - an indicator identifying a location of the first cavity.
2. (Original) The system of Claim 1, further comprising first and second support member portions each having an open end and a closed end, the first and second support member portions affixed to one another at their respective closed ends to at least partially define the support member.
3. (Original) The system of Claim 1, further comprising a crimp in the support member that at least partially isolates the first cavity from the second cavity.
4. (Original) The system of Claim 1, wherein the first cavity is isolated from the second cavity and the first cavity defines a volume larger than a second cavity defined volume.
5. (Original) The system of Claim 1, wherein the support member has a substantially linear configuration and a substantially circular cross section.

CUSTOMER NO.
34456

6. (Original) The system of Claim 5, wherein the support member defines a mouth of the first cavity at a first distal end of the support member and a second mouth of the second cavity at a second distal end of the support member, the applicator substantially encompassing the mouth, further comprising:

a second applicator attached to the support member and substantially encompassing the second mouth, the second applicator formed to have an appearance different than the applicator.

7. (Currently Amended) A substance application method, comprising:

removing a single use application system comprising a support member and a porous applicator tip from a package;

operating a delivery mechanism to burst a membrane and to initiate release of a substance from a cavity at least partially defined by the support member;

releasing the substance into the porous applicator tip;

applying the substance to a desired surface via the porous applicator tip; and

disposing of the support member after a single use.

8. (Original) The method of Claim 7, wherein the applicator tip comprises a sponge material and wherein the support member defines an elliptical cross section having a major axis and a minor axis, further comprising:

squeezing the support member along the major axis to operate the delivery mechanism.

9. (Original) The method of Claim 7, wherein the support member defines a round cross section, further comprising:

depressing a plunger to operate the delivery mechanism by decreasing an available volume for the substance in the cavity.

10. (Original) The method of Claim 7, wherein the substance comprises a monomer, further comprising combining the substance with an initiator to begin converting the monomer to a polymer.

CUSTOMER NO.
34456

11. (Original) The method of Claim 7, further comprising:
operating a second delivery mechanism to initiate release of a second substance from a second cavity at least partially defined by the support member;
releasing the second substance into a second applicator tip;
applying the second substance to a desired surface via the second applicator tip.
12. (Original) The method of Claim 11, wherein the substance comprises a monomer operable to form an adhesive film in response to combination with an agent that initiates conversion of the monomer to a polymer, further wherein the second substance comprises an antiseptic agent.
13. (Original) A substance application system, comprising:
a cavity formed at least in part from a support member, the cavity containing a substance comprising a fast polymerizable liquid monomer;
an expulsion orifice configured to release the substance into an applicator portion of the system that contains an initiator operable to begin transition of the monomer to a polymer; and
an applicator tip associated with the applicator portion for depositing an adhesive film on a surface.
14. (Original) The system of Claim 13, wherein the fast polymerizable liquid monomer comprises Cyanoacrylate and further wherein the cavity defines a volume of less than .5 mL.
15. (Original) The system of Claim 13, further comprising:
a delivery mechanism to initiate release of the contained substance, the mechanism comprising a burstable membrane associated with the expulsion orifice.
16. (Original) The system of Claim 13, further comprising:
a second cavity containing a second substance, the second substance different from the first substance.

CUSTOMER NO.
34456

17. (Original) The system of Claim 13, further comprising:
a second cavity containing a second substance comprising an antiseptic wash;
a first indicator identifying a location of the first cavity; and
a second indicator identifying the location of the second substance.
18. (Original) The system of Claim 13, wherein the support member comprises plastic and the applicator tip comprises cotton.
19. (Currently Amended) A substance application method, comprising:
locating a first substance in a first cavity at least partially defined by a support member,
the first substance being encased by a burstable material;
locating a second substance in a second cavity at least partially defined by the support member; and
attaching an applicator to the support member.
20. (Original) The method of Claim 19, further comprising enclosing an opening of the first cavity with a burstable membrane.
21. (Original) The method of Claim 19 wherein the support member has a first distal end portion and a second distal end portion and the applicator is attached at the first distal end portion, further comprising attaching a second applicator to the support member at the second distal end portion.
22. (Original) The method of Claim 19, further comprising:
placing the support member with attached applicator in a container; and
sealing the container.
23. (Original) The method of Claim 19, further comprising forming the support member to have a round cross section and to at least partially define the first cavity and the second cavity.

CUSTOMER NO.
34456

24. (Original) The method of Claim 23, further comprising isolating the first cavity from the second cavity.

25. (Original) The method of Claim 23, further comprising indicating on the support member a location of the first cavity.

26. (Original) The method of Claim 23, further comprising forming the support member to have a long axis and an elliptical cross section at least at some point along the long axis.

27. (Original) The method of Claim 23, wherein the first substance comprises a polymerizable liquid monomer, further comprising:
associating an initiator with the applicator, the initiator operable to facilitate conversion of the monomer to a polymer.

28. (Currently Amended) A dual substance application system, comprising:
a support member at least partially defining a first cavity and a second cavity;
a first substance located in the first cavity;
a second substance located in the second cavity;
a burstable seal keeping the first substance in the first cavity; and
a package containing the support member and operable to protect the support member from contamination.

29. (Original) The system of Claim 28, further comprising an indicator identifying a location of the first cavity.

30. (Original) The system of Claim 28, further comprising:
a second seal keeping the second substance in the second cavity; and
a sterile applicator attached to the support member.

31. (Original) The system of Claim 30, further comprising a resealable box that contains a plurality of packages.

CUSTOMER NO.
34456

32. (Original) The system of Claim 30, wherein the substance comprises a monomer operable to form an adhesive film in response to combination with a polymerizing agent, further wherein the second substance comprises an antiseptic wash.